

L Number	Hits	Search Text	DB	Time stamp
-	1366	(349/99,179,180,for.140,76,186).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 13:37
-	21	bistable near twist near (state nematic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 13:37
-	2	bistable\$2 near twist\$2 near (state nematic) and ((349/99,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 14:12
-	2	bistable near twist near (state nematic) and ((349/99,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 14:13
-	0	".phi.+2.pi."	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 13:40
-	0	".phi."	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 13:40
-	61900	"phi"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 13:40
-	1718	"phi" with "pi"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 13:40
-	1	("phi" with "pi") and (bistable near twist near (state nematic) and ((349/99,179,180,for.140,).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 13:40
-	0	((("phi" with "pi") and (bistable near twist near (state nematic) and ((349/99,179,180,for.140,).CCLS.))) and ("phi" with "pi" with "+"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 13:41
-	206	"phi" with "pi" with "+"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 13:42
-	0	((349/99,179,180,for.140,).CCLS.) and ("phi" with "pi" with "+")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 13:42
-	3	((349/99,179,180,for.140,).CCLS.) and ("phi" with "pi")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 13:42

	600	(349/99,179,180,for.140,).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 11:40
	2	bistable\$2 near2 twist\$2 near2 (state nematic) and ((349/99,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 14:14
	5	bistable\$2 near2 twist\$2 and ((349/99,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 14:14
	9	bistable\$2 near2 (state nematic) and ((349/99,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 14:23
	12	(bistable\$2 near2 twist\$2 and ((349/99,179,180,for.140,).CCLS.)) (bistable\$2 near2 (state nematic) and ((349/99,179,180,for.140,).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 14:14
	0	20030076455.URPN.	USPAT	2003/04/24 14:18
	20	twist with (angle rubbing) and (output and input) with (polariz\$3 angle) and chiral and birefringen\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 14:53
	3	(twist with (angle rubbing) and (output and input) with (polariz\$3 angle) and chiral and birefringen\$2) and (thickness with pitch and birefringen\$2 with thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 14:35
	195	thickness with pitch and birefringen\$2 with thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 14:38
	128	birefringen\$2 with thickness with times	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 14:39
	14	((349/99,179,180,for.140,76,186).CCLS.) and (birefringen\$2 with thickness with times)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 14:39
	19	4506956.URPN.	USPAT	2003/04/24 14:51
	10	("2213382" "2356694" "3551026" "3597044" "3963312" "4124279" "4206501" "4211473" "4288147" "4342046").PN.	USPAT	2003/04/24 14:51
	7	(input) with (polariz\$3 angle) with (" -45" " -46" " -47" " -48" " -49" " -50" " -44" " -43" " -42" " -41" " -40" " 45" " 46" " 47" " 48" " 49" " 50" " 44" " 43" " 42" " 41" " 40") and ((349/99,179,180,for.140,76,186).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 15:01
	7	(input) with (polariz\$5 angle) with (" -45" " -46" " -47" " -48" " -49" " -50" " -44" " -43" " -42" " -41" " -40" " 45" " 46" " 47" " 48" " 49" " 50" " 44" " 43" " 42" " 41" " 40") and ((349/99,179,180,for.140,76,186).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 15:02

-	0	(align alignment aligning) with twist near angle with (favorable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/12 17:21
-	37	(align alignment aligning) with twist with (rub rubbing rubbed) and ((349/99,100,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 09:11
-	4	("3872318").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 09:17
-	0	"-22.degree."	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 09:17
-	0	"+-22.degree."	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 09:17
-	0	"22.degree."	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 09:17
-	0	"22.degrees."	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 09:18
-	2	(align alignment aligning) with twist near angle same "22" and ((349/99,100,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 09:34
-	78	(align alignment aligning) with twist near angle and ((349/99,100,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 09:46
-	218	(align alignment aligning) with twist near angle and ((349/\$6).CCLS.) not ((align alignment aligning) with twist near angle and ((349/99,100,179,180,for.140,).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 09:47
-	5479	twist near angle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 09:47
-	78	((align alignment aligning) with twist near angle and ((349/99,100,179,180,for.140,).CCLS.)) and (twist near angle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 10:12
-	218	((align alignment aligning) with twist near angle and ((349/\$6).CCLS.) not ((align alignment aligning) with twist near angle and ((349/99,100,179,180,for.140,).CCLS.))) and (twist near angle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 11:23
-	654	(349/99,100,179,180,for.140,).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 11:24

	15	((349/99,100,179,180,for.140,).CCLS.) and polarizer near (input and output in and out top and bottom first and second) with angle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 12:32
	48	thickness with pitch with twist and ((349/99,100,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 11:55
	33	(thickness with pitch with twist and ((349/99,100,179,180,for.140,).CCLS.)) and chiral	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 11:40
	106	thickness with birefringen\$2 and ((349/99,100,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 11:58
	12	thickness with times with birefringen\$2 and ((349/99,100,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 12:15
	0	".DELTA.n"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 12:00
	0	".DELTA.n "	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 12:00
	7357	"DELTA.n"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 12:00
	105	"DELTA.n d"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 12:00
	404	"DELTA.nd"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 12:14
	43	("DELTA.n d" "DELTA.nd") and ((349/99,100,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 12:01
	53	(thickness with times with birefringen\$2 and ((349/99,100,179,180,for.140,).CCLS.)) and ("DELTA.n d" "DELTA.nd") and ((349/99,100,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 12:01
	46	((thickness with times with birefringen\$2 and ((349/99,100,179,180,for.140,).CCLS.)) and ("DELTA.n d" "DELTA.nd") and ((349/99,100,179,180,for.140,).CCLS.)) and (micron "mu" "mu.m" micro adj meter micrometer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 12:02

-	17	(thickness with times with birefringen\$2 "DELTA.nd" "DELTA.n d") with (micron "mu" "mu.m" micro adj meter micrometer) and ((349/99,100,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 12:32
-	7	electrode with comb and ((349/99,100,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 12:30
-	3	("4,345,249").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 12:25
-	435	electrode with comb and (349/\$6) not ((349/99,100,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 12:30
-	108	electrode with comb with transparent and (349/\$6) not ((349/99,100,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 12:31
-	45	electrode with comb with transparent and electrode near2 (upper and lower top and bottom first and second) and (349/\$6) not ((349/99,100,179,180,for.140,).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 13:15
-	11	methane same cow and rumen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 15:20
-	4	((("4609255") or ("4896947"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 15:21